



## Percolation – Geometrical Properties

- A percolation cluster can be characterized by **fractal geometry**
- We can see in the **infinite cluster**, at  $p_c$ , holes in all scales – like Sierpinski gasket
- The cluster is **self-similar** (from pixel size to system size)



# Fractals

**Fractal geometry** describes Nature better than **classical geometry**.  
Two types of fractals: **deterministic** and **random**.


## Deterministic fractals

Ideal fractals having **self-similarity**.

Every small part of the picture when magnified properly, is the same as the whole picture.


Self-similarity is a property, not a definition

To better understand fractals, we discuss several examples:



**Koch curve**

## Building Koch curve



$n=0$


A section of unit length

$n=1$

Divide each section to 3 equal pieces and replace the middle one by two pieces like a tent

$n=2$

The same is done for all 4 sections



$n=\infty$

This is a **mathematical fractal**

In physics we continue until  $n_{\max}$ . We have a fractal for length scales  $1/3^{n_{\max}} < x < 1$   
 Koch curve properties:



(a)  $\left(\frac{4}{3}\right)^n = \text{Length} \rightarrow \infty$  for  $n = \infty$ . But contains in a **finite space. No derivative.**

(b) **Self-similarity – scale invariance**

(c) **No characteristic scale**

**Sierpinski gasket** is perhaps the most popular fractal.

Generation of **Sierpinski gasket**



3D Sierpinski gasket


- (1) divide an equilateral triangle into 4 equal triangles
- (2) take out the central one
- (3) repeat this for every triangle

**No translation symmetry**

**Scale invariance symmetry**

$$\text{Internal perimeter: } \frac{3}{2} + \frac{9}{4} + \frac{27}{8} + \dots \rightarrow \infty$$


$$\text{Area: } S_0, \frac{3}{4} S_0, \left(\frac{3}{4}\right)^2 S_0 \dots \rightarrow 0$$



2D Sierpinski gasket

# Sierpinski gasket with lower cut off

$$n = 2$$




This is a fractal for  $1 < x < 3^{n_{\max}}$

# Fractal dimension

How to quantify fractals ?

Generalization of dimension to non-integer dimensions – fractal dimension  
(B.B. Mandelbrot, 1977)

## Definition of dimension



$$M(L/2) = \frac{1}{2} M(L) \quad d = 1$$

$$M(L/2) = \frac{1}{4} M(L) \quad d = 2$$

$$M(L/2) = \frac{1}{8} M(L) \quad d = 3$$

- ★ Take a line section of length  $L$ , divide into two, we get:  $M\left(\frac{1}{2}L\right) = \frac{1}{2}M(L)$
- ★ Take a square of length  $L$ , divide  $L$  by 2 we get:  $M\left(\frac{1}{2}L\right) = \frac{1}{4}M(L) = \frac{1}{2^2}M(L)$
- ★ Take a cube of length  $L$ , divide  $L$  by 2 we get:  $M\left(\frac{1}{2}L\right) = \frac{1}{8}M(L) = \frac{1}{2^3}M(L)$

In general


$$M(bL) = b^d M(L)$$

The exponent  $d$  defines the **dimension** of system

**Solution:**  $M(L) = AL^d$  where  $A$  is a constant

**Definition of fractal dimension**  $M(bL) = b^{d_f} M(L)$   
 generalization to **non-integer** dimension  $d_f$


**Solution:**  $M(L) = AL^{d_f}$



**Example: Koch curve**

$$M\left(\frac{1}{3}L\right) = \frac{1}{4}M(L) = \left(\frac{1}{3}\right)^{d_f} M(L) \Rightarrow \left(\frac{1}{3}\right)^{d_f} = \frac{1}{4} \quad \text{or} \quad d_f = \frac{\log 4}{\log 3} \approx 1.262$$


$d_f$  - non integer – between 1 and 2 dimensions. Koch curve is not a line ( $d=1$ ) but doesn't fill a plane ( $d=2$ ).



**Example: Sierpinski gasket**

$$M\left(\frac{1}{2}L\right) = \frac{1}{3}M(L) = \left(\frac{1}{2}\right)^{d_f} M(L) \Rightarrow \left(\frac{1}{2}\right)^{d_f} = \frac{1}{3} \quad \text{or} \quad d_f = \frac{\log 3}{\log 2} \approx 1.585$$

Non integer dimension between 1 and 2 dimensions.




Example: Sierpinski sponge:

$$M\left(\frac{1}{3}L\right) = \frac{1}{20}M(L) = \left(\frac{1}{3}\right)^{d_f} M(L) \Rightarrow \left(\frac{1}{3}\right)^{d_f} = \frac{1}{20} \quad \text{or} \quad d_f = \frac{\log 20}{\log 3} \approx 2.727$$

Here the fractal dimension is between 2 and 3.

Are there fractals with  $d_f < 1$  ?

Example: Cantor set



A section of unit size.

Divide into 3 equal sections  
and remove the central one.

Repeat it for every left section.





For  $n \rightarrow \infty$  we get a fractal set  
of points.

$$M\left(\frac{1}{3}L\right) = \frac{1}{2}M(L) = \left(\frac{1}{3}\right)^{d_f} M(L) \Rightarrow \left(\frac{1}{3}\right)^{d_f} = \frac{1}{2} \quad \text{or} \quad d_f = \frac{\log 2}{\log 3} \approx 0.631$$



## Percolation – Geometrical Properties

- A percolation cluster can be characterized by **fractal geometry**
- We can see in the **infinite cluster**, at  $p_c$ , holes in all scales – like Sierpinski gasket
- The cluster is **self-similar** (from pixel size to system size)



- The square in left top is **magnified** in right top
  - ⇒ **magnified** in left bottom
  - ⇒ **magnified** in right bottom
- The difficulty to easily realize the order is a sign of **self-similarity**

